Enot stasfoy

		{	•	
L Number	Hits	Search Text	DB	Time stamp
1	8	4743074.URPN.	USPAT	2004/05/25 08:25
2	0	6530625.URPN.	USPAT	2004/05/25 08:25
3	26	("3630578" "4006941" "4410153" "4430715" "4529067"	USPAT	2004/05/25 08:25
		"4596316" "4743074" "4865162" "4986610" "4995483"		200 1100/20 00:20
		"5050939" "5172960" "5178235" "5217282" "5255761"		
		"5293966" "5348122" "5456523" "5645143" "5845975"		
		"5926932" "5971111" "6000516" "6003640" "6095293"		
		"6196359").PN.		
4	11	(US-6382027-\$ or US-6359690-\$ or US-6257063-\$ or	USPAT	2004/05/25 08:33
		US-6412880-\$ or US-6047794-\$ or US-6014899-\$ or		200 1100/20 00:00
		US-5960912-\$ or US-5687818-\$ or US-5660251-\$ or		
		US-3888183-\$ or US-6530625-\$).did.		
5	204	303/191.ccls.	USPAT:	2004/05/25 08:36
_			US-PGPUB	
6	4	303/191.ccls. and (squeal\$4 or antisqueal\$4)	USPAT;	2004/05/25 08:37
			US-PGPUB	
7	6014	(squeal\$4 or antisqueal\$4 or noise) with brak\$4	USPAT;	2004/05/25 08:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
8	30	(squeal\$4 or antisqueal\$4 or noise) with brak\$4 same	USPAT;	2004/05/25 08:48
		comparator	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
9	58	(squeal\$4 or antisqueal\$4 or noise) with brak\$4 same stored	USPAT;	2004/05/25 08:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	

- 150	("6125974"	LIGRAT	
- 150	\(\text{6125974} \) \(\text{5865515} \)	USPAT;	2004/05/25 08:04
	"4075142"	US-PGPUB	
	"5417313"		
	"5564532"		
	"5817411"		
	"6397982"		
	"4485898"		
	"5689058"		
	"6322164"		
	"6141415"		
	"6325185"		
	"3888183"		
	"5611415"		
	"5613586"		
	"5636719"		
	"6105736" "6170620"		
	"6247560"		
	"4506768"		
	"5480847"		
	"5573087"		
	"5699881"		
	"5819882"		
	"5823304"		
	"5836427"		
	"5924526"		
	"6131707"		
	"6273220"		
	"6302244"		
	"6190761"		
	"4088835"		
	"4811019" "4070024"		
	"4279331" "F01FF03"		
	"5915503" "6230857"		
	"4316530"		
	"4805746"		
	"4954536"		
	"4972870"		
	"5480008"		
	"5535860"		
	"5535858"		
	"3566995"		
	"3693765"		
	"3684061"		
	"3638765"		
	"3918555" "4022302"		
	"4039054").pn.		
	("4055238"		
	"4154322"		
	"4155430"		
	"4156479"		
	"4174024"		
	"4067418"		
	"4093045"		
	"4098951"		
	"4243123"		
	"4313869" "4392561"		
	"4410070"		
	"4501347"		
	"4523666"		
	"4591028"		
	"4846467"		
	"4878564"		
	"5015990"		
Search History 5/25/04	8.50.96 AM Page 2		
C:\APPS\east\workspace	s;703/2488.wsp		
	"5236068"		
(2289903"		
			1.441.1.1.07.

-	1	Kamiya.in. and Kondo.in. and Sasaki.in.	USPAT;	2004/05/25 08:04
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT	

	1-5	(1104.050.741)		
-	150	("6125974"	USPAT;	2004/05/25 08:04
		"5865515"	US-PGPUB	
		"4075142"		
		"5417313"		
1		"5564532"		
		"5817411"		
1		"6397982"		
		"4485898"		
		"5689058"		
		"6322164"		
		"6141415"		
		"6325185"		
		"3888183"		
		"5611415"		
		"5613586" "5636719"		
		"6105736" "6170620"		
		"6170620"		
		"6247560"		
		"4506768"		
		"5480847"		
		"5573087"		
		"5699881"		
		"5819882"		
		"5823304"		
		"5836427"		
		"5924526"		
		"6131707"		
		"6273220"		
		"6302244"		
		"6190761"		
		"4088835"		
		"4811019"		
		"4279331"		
		"5915503"		
		"6230857" "4246520"		
		"4316530"		
		"4805746" "4054500"		
		"4954536"		
		"4972870"		
		"5480008"		
		"5535860"		
		"5535858"		
		"3566995"		
		"3693765"		
		"3684061"		
		"3638765"		
		"3918555"		
		"4022302"		
		"4039054").pn.		
		("4055238"		
		"4154322"		
		"4155430"		
		"4156479"		
		"4174024" "4067449"		
		"4067418" "4003046"		
		"4093045"		
		"4098951"		
		"4243123"		
		"4313869"		
		"4392561"		
		"4410070"		
		"4501347"		
		"4523666"		
		"4591028"		
		"4846467"		
		"4878564"		
		"5015990"		
Search Histo	ny 5/25/04	d'6202439"		
CAADDO'	Jiy 3/23/04	8:50:196 AM Page 4 s\163.4268.wsp 5236068.wsp		
C:VAPPS\ea	st\workspace	\$\107.4488.wsp		
		"5289903"		
		1 J203303		er er er er er er er er

-	132	(("6125974"	USPAT;	2004/05/25 08:10
		"5865515"	US-PGPUB	
		"4075142"		
		"5417313"		
		"5564532"		}
		"5817411"		
		"6397982"		
		"4485898"		
		"5689058"		
		"6322164"		
		"6141415"		
		"6325185"		
		"3888183"		
		"5611415"		
ĺ		"5613586"		
		"5636719"		
		"6105736"		
		"6170620"		
		"6247560"		
		"4506768"		
		"5480847"		
		"5573087"		
		"5699881"		
		"5819882"		
		"5823304"		
		"5836427"		
		"5924526"		
		"6131707"		
		"6273220"		
		"6302244"		
		"6190761"		
		"4088835"		
}		"4811019"		
		"4279331"		
		"5915503"		
		"6230857"		
		"4316530"		
		"4805746"		
		"4954536"		
		"4972870"		
		"5480008"		
		"5535860"		
		"5535858"		
		"3566995"		
		"3693765"		
1		"3684061"		
		"3638765"		
		"3918555"	1	
İ		"4022302"		
į		"4039054").pn.		
}		("4055238"		
		"4154322"		
		"4155430"		
		"4156479"		
	11.5	"4174024"		
		"4067418"		
		"4093045"		
	61	"4098951"		
		"4243123"		
1		"4313869"		
		"4392561"		
	il.	"4410070"		
1		"4501347"		
		"4523666"		
1		"4591028"		
Ì		"4846467"		
		"4878564"		
1		"5015990"		
earch Histo	ry 5/25/04	8:50.76 30M Page 5		
\ A D D O \	kt\workspace	s"5234086" S236068".wsp		
::WPPS/eas	print of mopulation	1 "6006060" 1		1
::WPPS\eas	Морио	"5236068" "5289903"		

-	2	6125974.URPN.	USPAT	2004/05/25 08:08
-	1	"5175687".PN.	USPAT	2004/05/25 08:08
-	1	5865515.URPN.	USPAT	2004/05/25 08:09
-	2	("5660251" "5687818").PN.	USPAT	2004/05/25 08:09
-	2	squeal\$ with brak\$4 with manual	USPAT;	2004/05/25 08:10
		·	US-PGPUB	
-	2	squeal\$ with brak\$4 with manual	USPAT;	2004/05/25 08:11
			US-PGPUB;	
	}		EPO; JPO;	
			DERWENT	
-	2	squeal\$ with brak\$4 with switch	USPAT;	2004/05/25 08:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	12	squeal\$ with brak\$4 same switch	USPAT;	2004/05/25 08:13
			US-PGPUB;	
			EPO; JPO;	
	Į.		DERWENT	
-	3	squeal\$ adj control same brak\$4	USPAT;	2004/05/25 08:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	

Butler, Douglas

PLU5 5/25/04

From:

PLUS

Sent:

Tuesday, May 11, 2004 9:11 AM

To:

Butler, Douglas

Subject:

PLUS Results for 10774468

Here are the PLUS search results for 10774468.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.















xt



1

10774468_LIST PLUS Search Results for S/N 10774468, Searched May 11, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

```
6125974 4055238 5896955
5865515 4154322 5908091
4075142 4155430 5909785
        4156479 5939179
5417313
5564532 4174024
                 5954165
5817411
        4067418
                 6014899
6397982
        4093045
                 6042935
4485898
        4098951
                 6053990
5689058
        4243123
                 6067159
6322164
        4313869 6111643
6141415
        4392561
                 6161660
6325185
        4410070
                 6186288
3888183
        4501347
                 6186289
5611415
        4523666
                 6230852
5613586
        4591028
                 6241062
5636719
        4846467
                 6256858
6105736
        4878564
                 6257063
6170620
        5015990
                 6283258
6247560
        5203438
                 6286639
4506768
        5234080
                 6296084
5480847
        5236068
                 6314667
5573087 5289903
                 6328137
5699881 5289904
                 6349803
5819882 5310025
                 6354409
5823304
        5356702
                 6359690
5836427
        5372221
                 6371258
5924526 5377802
                 6382027
6131707
        5383537
                 6405839
6273220 5383538
                 6443269
6302244 5383539
                 6451872
6190761 5385989 6454055
4088835 5390769 6454058
4811019 5407034
                 6481545
4279331 5411773
                 6493615
5915503 5416962
                 6578680
6230857 5431258
                 6585089
4316530 5485898 6596789
4805746 5499698 6626580
4954536 5499705
                 6637262
4972870 5515952 6640937
5480008 5518088
                 6655508
5535860 5538113
                 6656240
5535858 5538111
                 6664343
3566995 5555959
                 6691835
3693765 5586626
                 5841254
3684061 5746292
                 6028402
3638765 5762166
                 6163121
3918555 5823301
                 5960912
4022302 5842546
                 6047794
4039054 5887686
                 4539440
```

service of water

same Brains

10774468_EAST

```
(6125974
5865515
4075142
5417313
5564532
5817411
6397982
4485898
5689058
6322164
6141415
6325185
3888183
5611415
5613586
5636719
6105736
6170620
6247560
4506768
5480847
5573087
5699881
5819882
5823304
5836427
5924526
6131707
6273220
6302244
6190761
4088835
4811019
4279331
5915503
6230857
4316530
4805746
4954536
4972870
5480008
5535860
5535858
3566995
3693765
3684061
3638765
3918555
4022302
4039054).pn.
(4055238
4154322
4155430
4156479
4174024
4067418
4093045
4098951
4243123
```

Page 1

് സ്വാഹ് പ്രസ്ത്രം വര് പര്യായ പര്യായില് വര്ട്ടായിരുന്നു. ഇതു വര്യായ വര്യായില് വര്യായില് വര്യായില് വര്യായില് വ

```
4313869
4392561
4410070
4501347
4523666
4591028
4846467
4878564
5015990
5203438
5234080
5236068
5289903
5289904
5310025
5356702
5372221
5377802
5383537
5383538
5383539
5385989
5390769
5407034
5411773
5416962
5431258
5485898
5499698
5499705
5515952
5518088
5538113
5538111
5555959
5586626
5746292
5762166
5823301
5842546
5887686).pn.
(5896955
5908091
5909785
5939179
5954165
6014899
6042935
6053990
6067159
6111643
6161660
6186288
6186289
6230852
6241062
6256858
6257063
6283258
```

same of a succession of a superior of the

a and his is made a second to be according to be second.

10774468_EAST

للمواصير في الأن الفي والمنافع والفيان المنافعين في الأن المنافعة أو المنافعة أنوان المنافعة المنافعين المنافعي

10774468_CLS Most Frequently Occurring Classifications of Patents Returned From A Search of 10774468 on May 11, 2004

```
Original Classifications
 18 188/73.37
10 188/218XL
6 188/218X
6 188/71.5
  5
    188/250E
  5
    188/73.36
  4
    188/18A
  4
    188/250B
    188/73.1
  4
    188/73.39
    188/250G
    188/73.31
  3
  3
     188/78
  3
    356/450
  2
     73/579
  2 188/1.11W
    188/218A
  2
 2 188/71.7
 2 188/72.4
    188/73.38
  2
  2
    192/107C
  2
    192/18A
  2 523/156
Cross-Reference Classifications
18 188/73.37
12 188/250E
 9 188/250B
 8 188/251A
    188/73.35
    188/264G
    188/73.1
 7
    188/205A
 6
    188/18A
    188/264AA
    188/73.36
    188/250G
    188/251R
    188/73.47
 3
    73/662
   180/197
    188/218XL
    188/251M
    188/264A
 3
    188/71.5
 3
    188/73.31
 3
    188/73.45
 3
    192/30V
 3
    260/998.13
 3
    310/105
 3
   523/156
 3
    523/157
 2
     29/458
     51/298
```

1222 - no + . - 2 . - 1 - .

e. baseline is

```
2
    73/11.05
  2 156/228
  2 181/290
  2 188/1.11R
  2 188/205R
  2 188/206R
  2 188/218A
  2 188/218R
  2 188/24.12
  2
    188/258
  2
    188/264B
    188/366
  2
    188/367
  2
    188/370
  2
  2
    188/378
    188/71.6
  2
  2
    188/71.8
  2
    188/72.4
    188/72.5
  2
  2
    192/107M
  2
    192/107R
  2
    192/109B
  2
    192/48.4
    192/85A
  2
  2
    192/85AA
  2
    264/258
  2
    301/6.91
    318/52
  2
  2
    318/71
  2
    428/463
    523/155
  2
  2
    523/158
Combined Classifications
 36 188/73.37
 17 188/250E
13 188/218XL
13 188/250B
11 188/73.1
    188/73.36
10
    188/18A
 9
    188/251A
    188/71.5
    188/73.35
 8
    188/218R
    188/264G
    188/250G
    188/205A
    188/73.31
    188/264AA
    188/73.39
 5
    523/156
 4
    188/218A
 4
    188/251R
 4
    188/72.4
 4
    188/73.45
    188/73.47
```

3

73/579 73/662

de la particular de la comparticación de la constante de la co

3 180/197 3 188/1.11W 3 188/24.12 3 188/251M 3 188/264A 3 188/370 3 188/378 3 188/73.38 3 188/78 3 192/30V 3 260/998.13 310/105 3 318/52 3 3 356/450 3 428/463 3 523/155 3 523/157 2 29/458 2 51/298 2 73/11.05 2 73/664 2 156/228 2 181/290 2 188/1.11L 2 188/1.11R 2 188/205R 2 188/206R 2 188/24.19 2 188/258 2 188/264B 2 188/366 2 188/367 2 188/67 2 188/71.6 2 188/71.7 188/71.8 2 2 188/72.5 188/73.43 192/107C 192/107M 2 2 192/107R 192/109B 2 192/18A 2 192/48.3 2 2 192/48.4 192/85A 2 192/85AA 2 264/258 2 2 301/6.91 2 318/430 318/71 340/454

> 523/152 523/158

> > 443.4

Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 10774468 on May 11, 2004

```
188/73.37
                 (18 OR, 18 XR)
         Class
                 188 : BRAKES
         188/67
                      ROD
         188/71.1
                       .Axially movable brake element or housing
                            therefor
         188/73.31
                       .. Retainer for brake element
         188/73.37
                       ... Having means to prevent vibration of brake
                          element
                 (5 OR, 12 XR)
17 188/250E
         Class
                188 : BRAKES
         188/381
                      FRICTIONAL VIBRATION DAMPER
         188/250R
                       .Shoes
         188/250E
                       ..Slotted shoes and vibration dampers
13 188/218XL
                 (10 OR, 3 XR)
         Class
                 188 : BRAKES
         188/381
                      FRICTIONAL VIBRATION DAMPER
         188/218R
                      .Brake wheels
         188/218XL
                      ..Disk type
         50B (4 OR, 9 XR)
Class 188 : BRAKES
13 188/250B
         188/381
                      FRICTIONAL VIBRATION DAMPER
         188/250R
                       .Shoes
         188/250B
                       .. Shoe construction
11 188/73.1
                  (4 OR, 7 XR)
                 188 : BRAKES
         Class
         188/67
                       ROD
         188/71.1
                       .Axially movable brake element or housing
                           therefor
         188/73.1
                       ..Structure of brake element
10 188/73.36
                  (5 OR, 5 XR)
         Class
                 188 : BRAKES
         188/67
                      ROD
         188/71.1
                       .Axially movable brake element or housing
                             therefor
         188/73.31
                       ..Retainer for brake element
         188/73.35
                       ... Having actuator and means to prevent
                           vibration thereof
         188/73.36
                       ....Including means to prevent vibration of
                         brake element
  188/18A
                 (4 OR, 5 XR)
         Class 188 : BRAKES
         188/2R
                      VEHICLE
         188/17
                      .Hub or disk
         188/18R
                      ..Motor vehicle
         188/18A
                      ...Disc brakes
9 188/251A
                (1 OR, 8 XR)
        Class
                188 : BRAKES
         188/381
                      FRICTIONAL VIBRATION DAMPER
                                      Page 1
```

.

and the Supplementary and the supplementary with the supplementary with

The grant of the control of the control of the control of

```
10774468_CLSTITLES
        188/250R
                     .Shoes
        188/251R
                     ..Composite
        188/251A
                      ...Materials
                (6 OR, 3 XR)
 188/71.5
       Class
               188 : BRAKES
        188/67
                     ROD
        188/71.1
                      .Axially movable brake element or housing
                          therefor
        188/71.5
                      ..Plural rotating elements (e.g., "multidisc")
 188/73.35
                (1 OR, 8 XR)
       Class
               188 : BRAKES
        188/67
                    ROD
        188/71.1
                     .Axially movable brake element or housing
                           therefor
        188/73.31
                     .. Retainer for brake element
        188/73.35
                      ... Having actuator and means to prevent
                         vibration thereof
8 188/218R
                (6 OR, 2 XR)
        Class
               188 : BRAKES
        188/381
                  FRICTIONAL VIBRATION DAMPER
                     .Brake wheels
        188/218R
               (1 OR, 7 XR)
188 : BRAKES
  188/264G
       Class
        188/381
                    FRICTIONAL VIBRATION DAMPER
                    .Cooling and lubricating
        188/264R
        188/264G
                     ..Insulators
               (3 OR, 4 XR)
188 : BRAKES
7 188/250G
       Class
       188/381
                     FRICTIONAL VIBRATION DAMPER
       188/250R
                     .Shoes
       188/250G
                     ..Surfaces and fasteners
               (0 OR, 6 XR)
188 : BRAKES
 188/205A
       Class
       188/381
                    FRICTIONAL VIBRATION DAMPER
       188/205R
                     .Supports
       188/205A
                     ..Antirattler
                (3 OR, 3 XR)
 188/73.31
       Class
               188 : BRAKES
       188/67
                     ROD
       188/71.1
                      .Axially movable brake element or housing
                          therefor
       188/73.31
                      .. Retainer for brake element
 188/264AA
                (0 OR, 5 XR)
       Class 188 : BRAKES
       188/381
                     FRICTIONAL VIBRATION DAMPER
       188/264R
                    .Cooling and lubricating
       188/264A
                     ..Air-cooled, axially engaging
```

... Auto wheel type

rana dia ariah dia leas lega a ara elektra dia dia dina die a aparta a ariang la colarier.

(4 OR, 1 XR)

188/264AA

5 188/73.39

Class 188 : BRAKES 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor .. Retainer for brake element 188/73.31 188/73.39 ...Including torque member supporting brake element 5 523/156 (2 OR, 3 XR) 523 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART Class OF THE CLASS 520 SERIES 523/1 .PROCESSES OF PREPARING A DESIRED OR INTENTIONAL COMPOSITION OF AT LEAST ONE NONREACTANT MATERIAL AND AT LEAST ONE SOLID POLYMER OR SPECIFIED INTERMEDIATE CONDENSATION PRODUCT, OR PRODUCT THEREOF 523/149 .. Friction element composition or process of preparing 523/152 ...For wheeled vehicle 523/155Composition devoid of asbestos 523/156Containing at least two organic materials, e.g., binder plus other organic material, etc. 188/218A (2 OR, 2 XR) Class 188 : BRAKES 188/381 FRICTIONAL VIBRATION DAMPER 188/218R .Brake wheels 188/218A ..Dust guard (0 OR, 4 XR) 188/251R Class 188 : BRAKES 188/381 FRICTIONAL VIBRATION DAMPER 188/250R .Shoes 188/251R .. Composite (2 OR, 2 XR) 188 : BRAKES 188/72.4 Class 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor 188/72.1 ..With means for actuating brake element 188/72.4 ... By fluid pressure piston 188/73.45 (1 OR, 3 XR) 188 : BRAKES Class 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor 188/73.31 .. Retainer for brake element 188/73.43 ... Including actuator slidable in plane parallel to axis of rotation of wheel 188/73.44On axially extending pin 188/73.45Plural pins 188/73.47 (0 OR, 4 XR) Class 188 : BRAKES 188/67 188/71.1 .Axially movable brake element or housing therefor

man and all the first of the second

ஆத் திருந்து செய்து வெளியார்கள் இருந்து இருந்து இருந்து இருந்து இருந்து இருந்து இருந்து இருந்து இருந்து இருந்த இருந்து

```
10774468 CLSTITLES
        188/73.31
                    ..Retainer for brake element
        188/73.47
                      ... Having closed loop type housing
3
    73/579
                (2 OR, 1 XR)
        Class
                073 : MEASURING AND TESTING
        73/570
                     VIBRATION
        73/579
                      .Resonance, frequency, or amplitude study
3
    73/662
                 (0 OR, 3 XR)
                073 : MEASURING AND TESTING
        Class
        73/570
                     VIBRATION
        73/662
                      .Vibrator
3 180/197
                (0 OR, 3 XR)
        Class
               180 : MOTOR VEHICLES
        180/197
                      WITH MEANS FOR DETECTING WHEEL SLIP DURING
                         VEHICLE ACCELERATION AND CONTROLLING IT BY REDUCING
                        APPLICATION OF POWER TO WHEEL
  188/1.11W
                (2 OR, 1 XR)
        Class 188 : BRAKES
                  WITH CONDITION INDICATOR
        188/1.11R
        188/1.11W
                     .Wear
               (1 OR, 2 XR)
188 : BRAKES
  188/24.12
        Class
        188/2R
                     VEHICLE
        188/24.11
                     .Velocipede (e.g., bicycle, etc.)
        188/24.12
                     .. Including mechanism for opposed gripping of
                        wheel rim or tire
       251M (0 OR, 3 XR)
Class 188 : BRAKES
3 188/251M
        188/381
                     FRICTIONAL VIBRATION DAMPER
                    .Shoes
        188/250R
        188/251R
                     ..Composite
        188/251M
                     ...Metallic surfaces
 188/264A
                (0 OR, 3 XR)
               188 : BRAKES
       Class
        188/381
                    FRICTIONAL VIBRATION DAMPER
                    .Cooling and lubricating
        188/264R
        188/264A
                     ..Air-cooled, axially engaging
3 188/370
                (1 OR, 2 XR)
               188 : BRAKES
       Class
        188/381
                     FRICTIONAL VIBRATION DAMPER
        188/151R
                     .Fluid pressure
        188/152
                     ..Road vehicle
        188/361
                     ...Wheel brake operating assembly
        188/369
                     ....With axially movable brake member
        188/370
                     .....Spot type
3 188/378
                (1 OR, 2 XR)
               188 : BRAKES
                     INERTIA OF DAMPING MASS DISSIPATES MOTION
        188/378
                         (E.G., VIBRATION DAMPER)
3 188/73.38
               (2 OR, 1 XR)
```

and the manager of the first content of the term of the parties of the first of the

188 : BRAKES Class 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor 188/73.31 .. Retainer for brake element 188/73.37 ... Having means to prevent vibration of brake element 188/73.38Spring 188/78 (3 OR, 0 XR) 188 : BRAKES Class 188/67 ROD 188/74 .Transversely movable 188/78 ..Expanding (0 OR, 3 XR) 192/30V Class 192 : CLUTCHES AND POWER-STOP CONTROL 192/30R CLUTCHES 192/30V .Vibration dampers 260/998.13 (0 OR, 3 XR) 260 : CHEMISTRY OF CARBON COMPOUNDS Class 260/998.13 BRAKE, FRICTION OR ANTI-SKID (0 OR, 3 XR)
310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE 310/105 Class 310/10 DYNAMOELECTRIC 310/40R .Rotary 310/92 .. Torque-transmitting clutches or brakes 310/103 ... Magnetic field type 310/105Induced or eddy current type 318/52 (1 OR, 2 XR) Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS 318/34 PLURAL, DIVERSE OR DIVERSELY CONTROLLED ELECTRIC MOTORS 318/52 .Slipping and/or racing control for electric motors 3 356/450 (3 OR, 0 XR) Class 356 : OPTICS: MEASURING AND TESTING BY LIGHT INTERFERENCE (E.G., INTERFEROMETER) 428/463 (1 OR, 2 XR) Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES COMPOSITE (NONSTRUCTURAL LAMINATE) 428/411.1 428/457 .Of metal 428/461 .. Next to addition polymer from unsaturated monomers 428/463 ... Ester, halide or nitrile of addition polymer 3 523/155 (1 OR, 2 XR) Class 523 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART OF THE CLASS 520 SERIES 523/1 .PROCESSES OF PREPARING A DESIRED OR INTENTIONAL COMPOSITION OF AT LEAST ONE NONREACTANT MATERIAL AND AT LEAST ONE SOLID POLYMER OR SPECIFIED INTERMEDIATE CONDENSATION PRODUCT, OR PRODUCT THEREOF

s the property of a call

The reserve and the second

```
10774468 CLSTITLES
        523/149
                      ..Friction element composition or process of
                           preparing
        523/152
                      ... For wheeled vehicle
        523/155
                      ....Composition devoid of asbestos
3 523/157
                 (0 OR, 3 XR)
                523 : SYNTHETIC RESINS OR NATURAL RUBBERS -- PART
        Class
                        OF THE CLASS 520 SERIES
        523/1
                      .PROCESSES OF PREPARING A DESIRED OR
                            INTENTIONAL COMPOSITION OF AT LEAST ONE NONREACTANT
                            MATERIAL AND AT LEAST ONE SOLID POLYMER OR SPECIFIED
                            INTERMEDIATE CONDENSATION PRODUCT, OR PRODUCT THEREOF
        523/149
                      .. Friction element composition or process of
                          preparing
        523/152
                      ....For wheeled vehicle
        523/157
                      .... Containing at least two organic materials,
                         e.g., binder plus other organic material, etc.
   29/458
                 (0 OR, 2 XR)
       Class
                029 : METAL WORKING
        29/592
                    METHOD OF MECHANICAL MANUFACTURE
        29/428
                     .Assembling or joining
                      .. With coating before or during assembling
        29/458
   51/298
                 (0 OR, 2 XR)
                051 : ABRASIVE TOOL MAKING PROCESS, MATERIAL, OR
       Class
                        COMPOSITION
        51/298
                      WITH SYNTHETIC RESIN
   73/11.05
                 (0 OR, 2 XR)
                073 : MEASURING AND TESTING
                      TESTING OF SHOCK ABSORBING DEVICE (E.G.,
        73/11.04
                          AUTOMOBILE SHOCK ABSORBER, GUN RECOIL APPARATUS, ETC.)
       73/11.05
                      .Torsional vibration damper
   73/664
                (1 OR, 1 XR)
       Class
                073 : MEASURING AND TESTING
       73/570
                     VIBRATION
       73/662
                      .Vibrator
       73/663
                      .. Table, platform, or other support
       73/664
                      ...Circuitry
 156/228
                 (0 OR, 2 XR)
       Class
               156 : ADHESIVE BONDING AND MISCELLANEOUS CHEMICAL
                       MANUFACTURE
       156/1
                     METHODS
       156/60
                      .Surface bonding and/or assembly therefor
       156/228
                      .. Of preshaped laminae between closed similarly
                         shaped press platens or clamps
  181/290
                 (0 OR, 2 XR)
               181 : ACOUSTICS
       Class
       181/175
                     SOUND-MODIFYING MEANS
       181/284
                     .Sound absorbing panels
       181/290
                     ..Multilayer panel or wall structure
 188/1.11L
                (1 OR, 1 XR)
               188 : BRAKES
                     WITH CONDITION INDICATOR
```

Page 6

TO CONTRACT TO THE RESIDENCE OF THE RESI

```
10774468_CLSTITLES
        188/1.11W
                      .Wear
        188/1.11L
                      ..Electrical
   188/1.11R
                 (0 OR, 2 XR)
        Class
                188 : BRAKES
        188/1.11R
                      WITH CONDITION INDICATOR
   188/205R
                 (0 OR, 2 XR)
        Class
                188 : BRAKES
        188/381
                      FRICTIONAL VIBRATION DAMPER
        188/205R
                      .Supports
                (0 OR, 2 XR)
188 : BRAKES
  188/206R
        Class
        188/381
                      FRICTIONAL VIBRATION DAMPER
        188/205R
                      .Supports
        188/206R
                      ..Brake element
  188/24.19
                (1 OR, 1 XR)
        Class
                188 : BRAKES
        188/2R
                      VEHICLE
        188/24.11
                      .Velocipede (e.g., bicycle, etc.)
                      .. Including mechanism for opposed gripping of
        188/24.12
                          wheel rim or tire
                      ... Having means to adjust spacing between brake
        188/24.19
                         component and wheel rim or tire
2 188/258
                 (0 OR, 2 XR)
        Class
                188 : BRAKES
                     FRICTIONAL VIBRATION DAMPER
        188/381
        188/250R
                      .Shoes
        188/251R
                      ..Composite
        188/255
                      ...Cast metal matrix
        188/258
                      ....Backs
2 188/264B
                 (0 OR, 2 XR)
        Class 188 : BRAKES
                     FRICTIONAL VIBRATION DAMPER
        188/264R
                      .Cooling and lubricating
        188/264B
                      ..Lubrication
2 188/366
                 (0 OR, 2 XR)
        Class 188 : BRAKES
        188/381
                     FRICTIONAL VIBRATION DAMPER
        188/151R
                     .Fluid pressure
        188/152
                     ..Road vehicle
        188/361
                     ...Wheel brake operating assembly
        188/366
                      ....Arcuate or annular motor
                (0 OR, 2 XR)
2 188/367
       Class 188 : BRAKES
       188/381
                     FRICTIONAL VIBRATION DAMPER
       188/151R
                     .Fluid pressure
```

2 188/67 (1 OR, 1 XR)

188/152

188/361

188/366

188/367

...Wheel brake operating assembly

....Arcuate or annular motor

..Road vehicle

.....Axially acting

188 : BRAKES Class 188/67 ROD 188/71.6 (0 OR, 2 XR) Class 188 : BRAKES 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor ..With means for cooling brake 188/71.6 188/71.7 (2 OR, 0 XR) 188 : BRAKES Class 188/67 ROD .Axially movable brake element or housing 188/71.1 therefor 188/71.7 ..With means to adjust for wear of brake 188/71.8 (0 OR, 2 XR) 188 : BRAKES Class 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor 188/71.7 ..With means to adjust for wear of brake 188/71.8 ... Self-adjusting means 188/72.5 (0 OR, 2 XR) 188 : BRAKES Class 188/67 ROD 188/71.1

.Axially movable brake element or housing therefor 188/72.1 .. With means for actuating brake element 188/72.4 ... By fluid pressure piston 188/72.5Piston for each of plural elements 188/73.43 (1 OR, 1 XR)

188 : BRAKES Class 188/67 ROD 188/71.1 .Axially movable brake element or housing therefor 188/73.31 ..Retainer for brake element ... Including actuator slidable in plane 188/73.43 parallel to axis of rotation of wheel

2 192/107C (2 OR, 0 XR) Class 192 : CLUTCHES AND POWER-STOP CONTROL 192/30R CLUTCHES 192/107R .Engaging surfaces 192/107C ..Clutch plate axially compressible

192/107M (0 OR, 2 XR) Class 192 : CLUTCHES AND POWER-STOP CONTROL 192/30R CLUTCHES 192/107R .Engaging surfaces 192/107M ..Material

2 192/107R (0 OR, 2 XR) Class 192 : CLUTCHES AND POWER-STOP CONTROL 192/30R CLUTCHES 192/107R .Engaging surfaces

Page 8

```
192/109B
                 (0 OR, 2 XR)
        Class 192 : CLUTCHES AND POWER-STOP CONTROL
        192/30R
                    CLUTCHES
        192/109R
                     .Thrust members, retarders, and stops
        192/109B
                     .. Resilient backing plates
  192/18A
                 (2 OR, 0 XR)
        Class
                192 : CLUTCHES AND POWER-STOP CONTROL
        192/12R
                    CLUTCH AND BRAKE
        192/18R
                     .Sliding operation
        192/18A
                     ..Fluid operator
                 (1 OR, 1 XR)
2 192/48.3
        Class
                192 : CLUTCHES AND POWER-STOP CONTROL
        192/30R
                     CLUTCHES
        192/48.1
                     .Plural clutch-assemblage
        192/48.3
                     ..Diverse clutch-assemblages
  192/48.4
                 (0 OR, 2 XR)
        Class
               192 : CLUTCHES AND POWER-STOP CONTROL
        192/30R
                     CLUTCHES
        192/48.1
                     .Plural clutch-assemblage
        192/48.3
                     ..Diverse clutch-assemblages
        192/48.4
                     ...Including three or more assemblages
2 192/85A
                 (0 OR, 2 XR)
                192 : CLUTCHES AND POWER-STOP CONTROL
        Class
        192/30R
                     CLUTCHES
        192/82R
                     .Operators
        192/85R
                     ...Fluid pressure
        192/85A
                      ... Axially engaging-rotating motor and clutch
 192/85AA
                 (0 OR, 2 XR)
       Class
                192 : CLUTCHES AND POWER-STOP CONTROL
        192/30R
                     CLUTCHES
        192/82R
                     .Operators
        192/85R
                      ..Fluid pressure
        192/85AA
                      ... Axially engaging clamping rotating motor and
                         clutch
2 264/258
                 (0 OR, 2 XR)
                264 : PLASTIC AND NONMETALLIC ARTICLE SHAPING OR
        Class
                        TREATING: PROCESSES
        264/239
                     MECHANICAL SHAPING OR MOLDING TO FORM OR REFORM
                            SHAPED ARTICLE
        264/241
                      .To produce composite, plural part or
                           multilayered article
                      .. One component is a fibrous or textile sheet,
        264/257
                          web, or batt
       264/258
                      ...Joining a plurality of superposed fibrous or
                         textile layers
2 301/6.91
                 (0 OR, 2 XR)
       Class
               301 : LAND VEHICLES: WHEELS AND AXLES
       301/5.1
                     WHEEL
       301/6.1
                     .With drive or brake attachment
       301/6.91
                     .. Having vibration damper or heat insulator
                                     Page 9
```

	-		10774400_CHSTITHE
2	318/430 Class 3 318/430	18	: ELECTRICITY: MOTIVE POWER SYSTEMS
2	318/71 Class 3 318/34 318/66 318/68 318/69 318/70 318/71	318	OR, 2 XR) : ELECTRICITY: MOTIVE POWER SYSTEMS PLURAL, DIVERSE OR DIVERSELY CONTROLLED ELECTRIC MOTORS .Running-speed controlRelative motor speed controlWith speed-difference detectorElectrical-type detectorsVoltage and/or current difference detector
2	340/425.5 340/438	5	OR, 1 XR) : COMMUNICATIONS: ELECTRICAL LAND VEHICLE ALARMS OR INDICATORS .Internal alarm or indicator responsive to a
2	523/152 Class 5 523/1 523/149 523/152	523	OR, 1 XR) : SYNTHETIC RESINS OR NATURAL RUBBERS PART OF THE CLASS 520 SERIES .PROCESSES OF PREPARING A DESIRED OR INTENTIONAL COMPOSITION OF AT LEAST ONE NONREACTANT MATERIAL AND AT LEAST ONE SOLID POLYMER OR SPECIFIED INTERMEDIATE CONDENSATION PRODUCT, OR PRODUCT THEREOFFriction element composition or process of preparingFor wheeled vehicle
2	523/158 Class 5 523/1		OR, 2 XR) : SYNTHETIC RESINS OR NATURAL RUBBERS PART OF THE CLASS 520 SERIES .PROCESSES OF PREPARING A DESIRED OR INTENTIONAL COMPOSITION OF AT LEAST ONE NONREACTANT MATERIAL AND AT LEAST ONE SOLID POLYMER OR SPECIFIED INTERMEDIATE CONDENSATION PRODUCT, OR PRODUCT THEREOF
	523/149 523/152 523/157 523/158		 Friction element composition or process of preparing For wheeled vehicle Containing at least two organic materials, e.g., binder plus other organic material, etc. Composition contains a phenolic, amine, or ketone condensate with aldehyde plus a polymer derived fr
om			

ethylenic monomers only